

## Poszerzenia jezdni

Przekrój	Kilometr	Hektometr	Szerokość	Średnia szerokość	Odległość między przekrojami	Powierzchnia
			m <sup>2</sup>	m <sup>2</sup>	mb	m <sup>3</sup>
	0	003	0,0			
P-1	0	014	6,0	3,00	11,0	33,00
P-2	0	058	5,5	5,75	44,0	253,00
P-3	0	108	5,5	5,50	50,0	275,00
P-4	0	155	5,5	5,50	47,0	258,50
P-5	0	202	5,5	5,50	47,0	258,50
P-6	0	251	1,0	3,25	49,0	159,25
P-7	0	299	0,6	0,80	48,0	38,40
P-8	0	349	0,9	0,75	50,0	37,50
P-9	0	397	1,2	1,05	48,0	50,40
P-10	0	420	1,2	1,20	23,0	27,60
P-11	0	442	1,4	1,30	22,0	28,60
P-12	0	492	1,5	1,45	50,0	72,50
P-13	0	553	1,1	1,30	61,0	79,30
P-14	0	611	1,4	1,25	58,0	72,50
P-15	0	661	0,0	0,70	50,0	35,00
P-16	0	711	0,9	0,45	50,0	22,50
P-17	0	762	0,0	0,45	51,0	22,95
P-18	0	813	1,3	0,65	51,0	33,15
P-19	0	863	1,5	1,40	50,0	70,00
P-20	0	912	1,2	1,35	49,0	66,15
P-21	0	960	5,5	3,35	48,0	160,80
P-22	1	008	0,9	3,20	48,0	153,60
P-23	1	057	1,4	1,15	49,0	56,35
P-24	1	107	1,4	1,40	50,0	70,00
P-25	1	169	1,4	1,40	62,0	86,80
P-26	1	223	1,6	1,50	54,0	81,00
P-27	1	275	1,4	1,50	52,0	78,00
P-28	1	330	1,2	1,30	55,0	71,50
P-29	1	379	1,1	1,15	49,0	56,35
P-30	1	430	0,6	0,85	51,0	43,35

## Poszerzenia jezdni

P-31	1	483	1,0	0,80	53,0	42,40
P-32	1	532	0,5	0,75	49,0	36,75
P-33	1	595	3,6	2,05	63,0	129,15
P-34	1	644	0,5	2,05	49,0	100,45
P-35	1	664	0,5	0,50	20,0	10,00
P-36	1	689	0,6	0,55	25,0	13,75
P-37	1	737	1,6	1,10	48,0	52,80
P-38	1	788	5,5	3,55	51,0	181,05
P-39	1	833	5,5	5,50	45,0	247,50
P-40	1	882	1,3	3,40	49,0	166,60
P-41	1	932	5,5	3,40	50,0	170,00
P-42	1	981	5,5	5,50	49,0	269,50
P-43	2	028	2,6	4,05	47,0	190,35
P-44	2	077	2,3	2,45	49,0	120,05
P-45	2	125	2,3	2,30	48,0	110,40
P-46	2	176	4,0	3,15	51,0	160,65
P-47	2	221	3,5	3,75	45,0	168,75
P-48	2	270	2,0	2,75	49,0	134,75
P-49	2	319	0,8	1,40	49,0	68,60
P-50	2	371	5,5	3,15	52,0	163,80
P-51	2	407	0,7	3,10	36,0	111,60
P-52	2	450	2,3	1,50	43,0	64,50
P-53	2	500	2,6	2,45	50,0	122,50
P-54	2	521	2,2	2,40	21,0	50,40
P-55	2	572	1,0	1,60	51,0	81,60
P-56	2	597	1,8	1,40	25,0	35,00
P-57	2	653	1,4	1,60	56,0	89,60
P-58	2	702	4,5	2,95	49,0	144,55
P-59	2	734,6	5,5	5,00	32,6	163,00
P-60	2	759	5,5	5,50	24,4	134,20
P-61	2	808	2,8	4,15	49,0	203,35
P-62	2	856	5,5	4,15	48,0	199,20
P-63	2	907	1,2	3,35	51,0	170,85

## Poszerzenia jezdni

P-64	2	957	0,9	1,05	50,0	52,50
P-65	3	006	1,5	1,20	49,0	58,80
P-66	3	055	1,3	1,40	49,0	68,60
P-67	3	105	0,9	1,10	50,0	55,00
P-68	3	156	1,8	1,35	51,0	68,85
P-69	3	208	5,5	3,65	52,0	189,80
P-70	3	261	0,9	3,20	53,0	169,60
P-71	3	313	1,0	0,95	52,0	49,40
P-72	3	364	1,2	1,10	51,0	56,10
P-73	3	412,5	1,4	1,30	48,5	63,05
P-74	3	465	1,5	1,45	52,5	76,13
P-75	3	515	2,0	1,75	50,0	87,50
P-76	3	565	2,7	2,35	50,0	117,50
P-77	3	615	0,9	1,80	50,0	90,00
P-78	3	661	2,1	1,50	46,0	69,00
P-79	3	710	2,8	2,45	49,0	120,05
P-80	3	765	1,2	2,00	55,0	110,00
P-81	3	815	4,0	2,60	50,0	130,00
P-82	3	846	4,8	4,40	31,0	136,40
P-83	3	868	2,3	3,55	22,0	78,10
P-84	3	917	3,2	2,75	49,0	134,75
P-85	3	966	5,5	4,35	49,0	213,15
P-86	4	015	2,3	3,90	49,0	191,10
P-87	4	066	0,3	1,30	51,0	66,30
P-88	4	117	1,1	0,70	51,0	35,70
P-89	4	168	2,5	1,80	51,0	91,80
P-90	4	205	1,8	2,15	37,0	79,55
P-91	4	218	2,4	2,10	13,0	27,30
P-92	4	270	0,9	1,65	52,0	85,80
P-93	4	320	1,4	1,15	50,0	57,50
P-94	4	370	2,3	1,85	50,0	92,50
P-95	4	404	2,1	2,20	34,0	74,80
P-96	4	452	2,4	2,25	48,0	108,00

## Poszerzenia jezdni

				2,40	51,0	122,40
P-97	4	503	2,4			
P-98	4	551	5,5	3,95	48,0	189,60
P-99	4	602	5,5	5,50	51,0	280,50
P-100	4	653	5,5	5,50	51,0	280,50
P-101	4	705	5,5	5,50	52,0	286,00
P-102	4	726	5,5	5,50	21,0	115,50
P-103	4	753	5,5	5,50	27,0	148,50
P-104	4	776	5,5	5,50	23,0	126,50
P-105	4	823	0,2	2,85	47,0	133,95
P-106	4	875	0,0	0,10	52,0	5,20
P-107	4	925	0,0	0,00	50,0	0,00
P-108	4	978	1,5	0,75	53,0	39,75
P-109	5	027	0,0	0,75	49,0	36,75
P-110	5	080	0,9	0,45	53,0	23,85
P-111	5	129	5,5	3,20	49,0	156,80
P-112	5	194	2,7	4,10	65,0	266,50
P-113	5	224	2,7	2,70	30,0	81,00
P-114	5	295	2,2	2,45	71,0	173,95
P-115	5	350	0,0	1,10	55,0	60,50
P-116	5	402	0,8	0,40	52,0	20,80
P-117	5	455	2,8	1,80	53,0	95,40
P-118	5	506	2,0	2,40	51,0	122,40
P-119	5	557	0,8	1,40	51,0	71,40
P-120	5	606	1,7	1,25	49,0	61,25
P-121	5	630	1,1	1,40	24,0	33,60
P-122	5	656	2,3	1,70	26,0	44,20
P-123	5	707	3,0	2,65	51,0	135,15
P-124	5	717	3,7	3,35	10,0	33,50
P-125	5	760	5,5	4,60	43,0	197,80
P-126	5	770	8,8	7,15	10,0	71,50
	5	776	0,0	4,40	6,0	26,40
				<b>309,30</b>	<b>5773,00</b>	<b>13404,98</b>